




NOTES:

1. ALL MATERIALS AND INSTALLATION PROCEDURES SHALL BE IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (SSPWC), LATEST REVISION.

2. BEDDING MATERIAL SHALL CONFORM TO OWNING-UTILITY COMPANY REQUIREMENTS AS APPROVED BY THE CITY OF RENO. FOR CITY OWNED TRAFFIC AND LIGHTING UTILITIES, BEDDING MATERIAL SHALL BE CLASS A. COMPACTED TO MINIMUM 90% RELATIVE COMPACTION. MATERIALS SHALL CONFORM TO SSPWC SECTION 200.

3. CEMENT SLURRY BEDDING/BACKFILL SHALL NOT BE USED.

4. INSTALL LOCATE WIRE AND MULE TAPE FOR ALL FUTURE, UNUSED, OR FIBER-OPTIC CONDUITS. LOCATE WIRE SHALL BE 12 GAGE WIRE TERMINATED AT BOX & POLYESTER PULLING TAPE SHALL BE MULE TAPE OR APPROVED EQUAL.

5. ALL EXCAVATIONS SHALL CONFORM TO THE LATEST O.S.H.A. REQUIREMENTS.

6. POWER AND COMMUNICATIONS SHALL BE PLACED IN SEPARATE CONDUITS.



STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION

TRAFFIC & LIGHTING CONDUIT TRENCH

DRAWING No.

R-404

APPROVED BY: KK DATE: 2/2026